Mathilda Twitter Registration

Die Internetadresse apps.twitter.com aufrufen.

Application Management Have an account? Sign in **Twitter Apps**.

2.

Einloggen. ;-)

3.

Neue Applikation erstellen (Create New App).

🎔 Application Management	2
Twitter Apps Tweet Nest Marco Hitschler Serverbased Twitter Backup	Create New App
Unmus This is Mathilda!	
Mathilda Development Development Instance	

Das Formular ausfüllen. Die Callback URL ist nicht erforderlich.

Application Management	2
이는 것은 것은 것은 것을 알려요. 이는 것은	
Create an application	
Application Details	
Name *	
DeinBlog-Mathilda	
Your application name. This is used to attribute the source of a tweet and in user-facing authorization screens. 32 characters max.	
Description *	
bla bla bla	
Your application description, which will be shown in user-facing authorization screens. Between 10 and 200 characters max.	
Website *	
http://www.deinblog.de	
Your application's publicly accessible home page, where users can go to download, make use of, or find out more information about your application. This fully	-
qualified URL is used in the source attribution for tweets created by your application and will be shown in user-facing authorization screens.	
(ir you don't have a OML yet, just put a placeholder here but remember to change it later.)	
Callback URL	
Where should we return after successfully authenticating? OAuth 1.0a applications should explicitly specify their oauth_callback URL on the request token step,	,
regardless of the value given here. To restrict your application from using callbacks, leave this field blank.	

<u>Hinweis</u>

Twitter verlangt für die Registrierung mittlerweile eine Telefonnummer in den User Settings (ich glaub aber nicht, dass Twitter euch jemals anrufen wird ;-).

Die Applikation wird sofort erstellt. Danach das Register "Key and Access Tokens" aufrufen.

Y Application Managem	nent	2
DeinBlog-	Mathilda	Test OAuth
Details Settings Keys	and Access Tokens Permissions	
bla bla bla bla		
Organization		
Information about the organizat	ion or company associated with your application. This information is optional.	
Organization	None	
Organization website	None	
Application Settings		
Your application's Consumer Ke	ey and Secret are used to authenticate requests to the Twitter Platform.	
Access level	Read and write (modify app permissions)	
Consumer Key (API Key)		
Callback URL	None	
Callback URL Locked	No	

6.

Oben steht schon mal der nötige Consumer Key und das Consumer Secret.

DeinBlog-M	athilda
Details Settings Keys and	Access Tokens Permissions
Application Settings Keep the "Consumer Secret" a secre	ret. This key should never be human-readable in your application.
Consumer Key (ABLKey)	
Consumer Key (API Key) Consumer Secret (API Secret)	
Consumer Key (API Key) Consumer Secret (API Secret) Access Level	Read and write (modify app permissions)
Consumer Key (API Key) Consumer Secret (API Secret) Access Level Owner	Read and write (modify app permissions)

Nach unten scrollen und den Access Token erstellen (Create my access token).

You haven't authorized this applie	cation for your own account yet.
By creating your access token he application's current permission	are, you will have everything you need to make API calls right away. The access token generated will be assigned your level.
T 1 A 11	

8.

Fertig! Jetzt ist euer Plugin für den Zugriff auf die Twitter API berechtigt.

Your Access Token This access token can be used to make API requests on your own account's behalf. Do not share your access token secret with anyone.				
Access Token	and frances and the second			
Access Token Secret	The share of the second s			
Access Level	Read and write			
Owner				
Owner ID				